Product data sheet

# Closer body TS 4000 E KM BG

Main body for overhead door closer with link arm EN 1-6 with electric hold-open device

## AREAS OF APPLICATION

- Fire and smoke protection doors
- Right and left single-action doors
- Single-action doors up to 1400 mm leaf width
- Transom installation opposite hinge side

**GEZE GmbH** | Reinhold-Vöster-Straße 21–29 | D-71229 Leonberg | **TEL** +49 7152 203-0 | **WEB** www.geze.de | **Mail** info.de@geze.com
2026-11-14T04:22:34Z

# Closer body TS 4000 E KM BG

## PRODUCT FEATURES

- Closing force can be variably adjusted from the front
- Visual closing force display ensures correct setting
- Closing seed can be adjusted from the front via valve
- Latching action can be adjusted via link arm
- Electric hold-open device
- Door closer, can be used for right and left hand doors
- Supply voltage 24 V DC
- Same mounting hole pattern as all GEZE TS 4000 closers

## TECHNICAL DATA

| | |
|---|---|
| Productname | Closer body TS 4000 E KM BG |
| Closing force in accordance with EN 1154 | EN 1 - 6 |
| Leaf width (max.) | 1400 mm |
| Type of installation | Transom installation opposite hinge side |
| Opening angle (max.) | 180 ° |
| Identical design for DIN left and DIN right | Yes |
| Input voltage | 24 V DC |
| Electrical power consumption | 1 W |
| Duty rating | 100 % |
| Residual ripple | 20 % |
| IP rating | IP43 |
| Standard conformity | EN 1154:1996/A1:2002/AC:2006. EN 1155 |
| Suitability for fire protection doors | Yes |
| Length | 325 mm |
| Width | 46 mm |
| Height | 60 mm |
| Closing force adjustable | Yes, stepless |
| Adjustable closing speed | Yes |
| Latching action adjustable | Yes, via link arm |
| Back check integrated | No |
| Position of closing force adjustment | Front |
| Visual closing force display | Yes |
| Safety valve againts overload | Yes |
| Thermo-control valves | Yes |
| Hold-open function | Electrical |
| Hold-open device can be overridden | Yes |
| Smoke switch integrated | No |

# Closer body TS 4000 E KM BG

## VARIANTS / ORDER INFO

| Designation | Description | Ident-No. | Colour | Closing force in accordance with EN 1154 | Dimensions |
|---|---|---|---|---|---|
| GEZE TS 4000 E KM BG Closer * | Size EN 1-6, transom installation opposite hinge side, with electric hold-open device (without link arm) | 105214 | according to RAL | EN 1 - 6 | 325 x 46 x 60 mm |
| GEZE TS 4000 E KM BG Closer | Size EN 1-6, transom installation opposite hinge side, with electric hold-open device (without link arm) | 105213 | silver-coloured | EN 1 - 6 | 325 x 46 x 60 mm |