

Product data sheet LED sensor switch *



Switch for activating automatic doors

AREAS OF APPLICATION

- → For activation of all GEZE automatic doors
- → Flush-mounted installation

LED sensor switch



PRODUCT FEATURES

- → Touch-sensitive capacitive push button with blue/red LED illumination
- → High-quality and hygienic activation with visual feedback of the activation command
- → Also available with Braille tactile lettering
- → Available with glass or plastic border
- → IP rating IP69
- → Long service life more than 100 million hystereses

TECHNICAL DATA

Productname	LED sensor switch *
Dimensions	100 x 100 x 10 mm
Current consumption	35 mA
Output	PNP transistor output
IP rating	IP69
Type of installation	Flush-mounted installation
Cable connection type	Cable prepared for connection to screw terminal
Connector cable length	200 mm
Service temperature	-30 - 80 °C

VARIANTS / ORDER INFO

Designation

LED sensor switch *

LED sensor switch glass *

ACCESSORIES

MOUNTING RING LED SENSOR SWITCH GLASS

Designation

Mounting ring LED sensor switch glass

LED sensor switch



MOUNTING RING FOR LED SENSOR SWITCH



Designation	
Mounting ring flat	
Mounting ring high	

GEZE GmbH | Reinhold-Vöster-Straße 21–29 | D-71229 Leonberg | **TEL** +49 7152 203-0 | **WEB** www.geze.de | **Mail** info.de@geze.com 2024-03-19T09:46:11Z

^{*} The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.